## United States Patent & Trademark Office

Office of Initial Patent Examination -- Scanning Division



Application deficiencies found during scanning:

□ Page(s)	of		were not present
for scanning.		(Document title)	
□ Page(s)	of		were not present
for scanning.		(Document title)	<del></del>

Scanned copy is best available. Deanings are dark.

## The last the last of the man were the last the l

## United States Patent & Trademark Office Office of Initial Patent Examination

## Application papers not suitable for publication

SN	10084237	Mail Date Selector			
	Non-English Specification				
D.	Specification contains drawing(s) on pa	age(s) or table(s) sowe			
	Landscape orientation of text	cification   Claims   Abstract			
	Handwritten ☐ Specification ☐	Claims   Abstract			
	More than one column	tion   Claims   Abstract			
	Improper line spacing	ion 🛘 Claims 🔻 Abstract			
	Claims not on separate page(s)				
	Abstract not on separate page(s)				
	Improper paper size Must be either A4 (21 cm x 29.7 cm) or 8-1/2"x 11"				
	☐ Specification page(s)	☐ Abstract			
•	☐ Drawing page(s)	☐ Claim(s)			
	Improper margins				
• •	☐ Specification page(s)	☐ Abstract			
	☐ Drawing page(s)	☐ Claim(s)			
	Not reproducible	Section			
	Reason	☐ Specification page(s)			
•	☐ Paper too thin	☐ Drawing page(s)			
	☐ Glossy pages	☐ Abstract			
	☐ Non-white background	☐ Claim(s)			
	Drawing objection(s)				
	☐ Missing lead lines, drawing(s)				
	☐ Line quality is too light, drawing(s)	)			
	☐ More than 1 drawing and not numbered correctly  ☐ Non-English text, drawing(s)				
	☐ Excessive text, drawing(s)	<del> </del>			
	☐ Photographs capable of illustration, drawing(s)				